REFERENCES:

1) Adham, N.Z. (2002). Attempts at improving citric acid fermentation by *Aspergillusniger* in beet-molasses medium.*J. Bioresourses Technology*, **84**:97-100
2) Adinarayana, K., Prabhakar, T., Srinivasulu, V., Anitha, R.M., Jhansi, L.P., Ellaiah, P. (2003).Optimization of process parameters for cephalosporin C production under solid state fermentation from *Acremoniumchrysogenum*. *J.Process Biochemistry*, **39**:171-177
3) Ates, S., Dingil, N., Bayraktar, E., Mehmetoglu, U. (2002). Enhancement of citric acid production by immobilized and freely suspended *Aspergillusniger* using silicone oil. *J. Process Biochemistry*, **38**:433-436
4) Ali HayderKh. Q.&Zulkali M. M. D. (2011). Statistical optimization of media components to enhance citric acid production from paddy straw using solid state fermentation. *Croat. J. Food Science and Technology***3 (1):** 1-8
5) Alvarez-Vasquez, F., Gonzalez-Alco, C., Torres, N.V. (2000). Metabolism of citric acid production by *Aspergillusniger*: model definition, steady-state analysis andconstrained optimization of citric acid production rate. *J. Biotechnology and Bioengineering*, **70**:82-108
6) Carlos R. Soccol, Luciana P. S. Vandenberghe, Cristine Rodrigues and Ashok Pandey (2006). New Perspectives for Citric Acid Production and Application. *J. Food Technology and Biotechnology* **44** (2) 141–149
7) ChaturvediMadhusudan, Singh Manoj,Chugh M Rishi (2010). Citric acid production from cane molasses using submerged fermentation by *Aspergillusniger* ATCC9142. *Journal of Pharmacy Research*, **3**(6):1215-1222
8) Crolla, A., Kenney, K.J. (2001). Optimization of citric acid production from *Candida lipolytica*Y-1095 using n-paraffin. *J. Biotechnology*, **89**:27-40
9) Ellaiah, P., Srinivasulu, B., Adinarayana, K. (2003). Optimisation studies on neomycin production by a mutant strain of*Streptomyces marinensis*in solid state fermentation. *J. Process Biochemistry*,**39**:171-177
10) Ellaiah, P., Srinivasulu, B., Adinarayana, K. (2004). Optimization studies on neomycin production by a mutant strain of*Streotomycesmarinensis*in solid state fermentation.*J. Process Biochemistry*, **39:**529-539

11) Fawole, O.B., Odunfa, S.A. (2003). Some factors affecting production of pectin enzymes by*Aspergillusniger*. *J. InternationalBiodeterioration& Biodegradation*, **51**:223-227

12) Goes, A.P., Sheppard, J.D. (1999). Effect of surfactants on alpha-amylase production in a solid substrate fermentation process. *J. Chemical Technology and Biotechnology*, **73:**709-712

13) Gopinath S M, Puttaiah E T And T P Narasimha Murthy (2011).Citric acid production by *Aspergillusniger* ETGP12, ETGP18 on solid state fermentation and effect of initial temperature on yield. *International Journal of Pharmacy and Biosciences***2 (4):** 250-256

14) Gutierrez-Correa, M., Portal, L., Moreno, P., Tengerdy, R.P. (1999). Mixed culture solid substrate fermentation of *Trichodermareesei* with *Aspergillusniger* on sugar canebaggasse.*J.Bioresoureses Technology*,**68:**173-178

15) Haq, I., Khurshid, S., Ali, K., Ashraf, H., Qadeer, M.A., Rajoka, I. (2001). Mutation of *Aspergillusniger* for hyper production of citric acid from black molasses. *W. J. Microbiology and Biotechnology*, **17**:35-37

16) Jana, A.K., Ghosh, P. (1995). Xantan biosynthesis in continuous culture: Citric acid as an energy source. *J. Fermentation and Bioengineering*, **80:**485-491

17) Jianlong, W. (2000). Enhancement of citric acid production by*Aspergillusniger*usingn-dodecane as an oxygen-vector. *J. Process Biochemistry*, ***35****:1079-1083*

18) Jianlong, W., Ping, L. (1998). Phytate as a stimulator of citric acid production by *Aspergillusniger*.J. *Process Biochemistry*, **33:**313-316

19) Kamini, N.R., Mala, J.G.S., Puvanakrishnan, R. (1998). Lipase production from Aspergillusniger by solid-state fermentation using gingelly oil cake. *J.Process Biochemistry*,**33**:505-511

20) Kosseva, M.R., Kent, C.A., Lloyd, D.R., (2001). Thermophilic bioremediation of whey: effect of physico-chemical parameters on the efficiency of the process.*J. Biotechnology Letter*, **23**:1675-1679

21) Kota, K.P., Sridhar, P. (1999). Solid state cultivation of *Streptomyces clavuligerus* for cephamycin C production. *J.Process Biochemistry*,**34:**325–328

22) Kumar, D., Jain, V.K., Shanker, G., Srivastava, A. (2003). Citric acid production by solid state fermentation using sugarcane baggasse. *J.Process Biochemistry*,**38**:1731-

1738

23) LaboniMajumder,Ibrahim Khalil, M. KamruzzamanMunshi, KhorshedAlam, Harun-Or- Rashid, 2 Rehana Begum and Nadia Alam (2010).Citric Acid Production by*Aspergillusniger* Using Molasses and Pumpkin as Substrates. *European Journal of Biological Sciences* **2 (1):** 01-08.

24) Leangon, S., Maddox, I.S., Brooks, J.D. (2000). A proposed biochemical mechanism for citric acid accumulation by *Aspergillusniger* Yang No.2 growing in solid state fermentation. *W. J. Microbiology and Biotechnology*,**16:**271-275

25) Larroche, C., Moksia, J., Gros, J. B. (1998). A convenient method for initial dry weight determination in sample from solid state cultivations. *J.Process Biochemistry,***33**: 447-451

26) Lee, J.H., Yun, H.S. (1999). Effect of temperature and pH on the production of citric acid from cheese whey by *Aspergillusniger*. *Korea J. Mycology*, **27:**383-385

27) Lee, S.Y., Middelberg, A.P.J., Lee, Y.K. (1997). Poly (3-hydroxybutyrate) production from whey using recombinant Escherichia coli.*J. Biotechnology Letter*, **19**:1022-1035

28) Lesniak, W., Pietkiewicz, J., Podgorski, W. (2002). Citric acid fermentation from starch and dextrose syrups by a trace metal resistant mutant of *Aspergillusniger*. *J. Biotechnology Letter*, **24**:1065–1067

29) Mirminachi, F., Zhang, A., Roehr, M., (2002). Citric acid fermentation and heavy metal ions: Effect of iron, manganese and copper.*J. Acta Biotechnology*, **22**:363-373

30) Mahadik, N.D., Puntambekar, U.S., Bastawde, K.B., Khire, J.M., Gokhale, D.V. (2002). Production of acidic lipase by *Aspergillusniger* in solid state fermentation. *J. Process Biochemistry*,**38**:715-721

31) Nandakumar, M.P., Thakur, M.S., Raghavarao, K.S.M.S., Ghildyal, N.P. (1994). Mechanism of solid particle degradation by *Aspergillusniger* in solid state fermentation. *Proceeding J. Biochemistry*, **29**:545-551

32) Navaratnam, P., Arasaratnam, V., Balasubramaniam. K. (1998). Channeling of glucose by methanol for citric acid production from *Aspergillusniger*. *W. J. Microbiology and Biotechnology*, **14**:559-563

33) Omori, T., Takeshima, N., Shimoda, M. (1994). Formation of acid-labile α-amylase duringbarley-Koji production. *J. Fermentation Bioengineering*, **78**:27-30

34) Papassiopi, N., Tambouris, S., Kontopoulos, A. (1999). Removal of heavy metals from calcareous contaminated soils by EDTA leaching.*J. Water, Air, Soil Pollution*. **109**:1-15

35) Pazouki, M., Felse, P.A., Sinha, J., Panda, T. (2000). Comparative studies on citric acid production by *Aspergillusniger* and *Candida lipolytica* using molasses and glucose. *J. Bioprocess &Engineering*, **22**:353-361

36) Robinson, T., Singh, D., Nigam P. (2001). Solid-state fermentation: a promising microbial technology for secondary metabolites production. *J. Applied Microbiology and Biotechnology*, **55**:284-289

37) Romero-Gomez, S.J., Augur, C., Viniegra-Gonzalez, G. (2000). Invertase production by*Aspergillusniger* in submerged and solid-state fermentation. *J. Biotechnology Letter*, **22**:1255-1258

38) Roukas, T. (2000). Citric and gluconic acid production from fig by*Aspergillusniger* using solid-state fermentation. *J. Indian Microbiology and Biotechnology*, **25**:298-304

39) Sassi, G., Ruggeri, B., Specchia, V., Gianetto, A. (1991). Citric acid production by *Aspergillusniger* with banana extract.*J. Bioresoureses Technology*, **37**:259-269

40) Sayer, J.A., Gadd, G.M. (2001). Binding of cobalt and zinc by organic acids and culture filtrates of *Aspergillusniger* grown in the absence or presence of insoluble cobalt or zinc phosphate. *J. Mycology Research*, **105**:1261-1267

41) Schuster, E., Dunn-Coleman, N., Frisvad, J.C., Van Dijck, P.W.M. (2002). On the safety of*Aspergillusniger*–a review. J. Applied Microbiology and Biotechnology, **59**:426–435

42) Suresh, P.V., Chandrasekaran, M. (1999). Impact of process parameters on chitinase production by an alkalophilic marine Beauveriabassiana in solid state fermentation.*J. Process Biochemistry*,**34**:257–267

43) Tran, C.T., Sly, L.I., Mitchell, D.A. (1998). Selection of a strain of *Aspergillus* for the production of citric acid from pineapple waste in solid-state fermentation. *W. J. Microbiology and Biotechnology*, **14**:399-404

44) Wang, H.H., Lee, S.Y. (1998). Poly-(3-hydroxybutyrate) production from whey by high-density cultivation of recombinant *Escherichia coli*. *J. Applied Microbiology and*

Biotechnology,**50**:30-33

45) Wasay, S.A., Barrington, S.F., Tokunaga, S. (2001). Organic acids for the in situ remediation of soils polluted by heavy metals: soil flushing in columns. *J. Water, Air, Soil Pollution*, **127**:301–314

46) Wasay, Syed A. (1998). Bioremediation of soils polluted by heavy metals using organic acids. Online : McGill Library and Collection Website: **http://digitool.library.mcgill.ca/R/?func=dbin=dbin-jump-full&object_id=35647&local_base=GEN01-MCG02**

47) Wayman, F.M., Mattey, M. (2000). Simple diffusion is the primary mechanism for glucose uptake during the production phase of the *Aspergillusniger* citric acid process. *J. Biotechnology&Bioengineering*, **67**:451-456

48) Wen, Z.Y., Chen, F. (2001). Application of statistically-based experimental designs for the optimization of eicosapentaenoic acid production by the Diatom *Nitzschia laevis*. *J. Biotechnology&Bioengineering*, **75**:159-169